Application No. 10/563,537

Response dated: January 19, 2010

Reply to Final Office Action of August 19, 2009 and Advisory Action of December 22, 2009

REMARKS

No amendment has been made in response to the outstanding Final Office Action dated

August 19, 2009. The Examiner's reconsideration is respectfully requested in view of the

following remarks.

Claims 1-15 are pending in the present application.

Claim Rejections Under 35 U.S.C. § 102

Claims 1-15 stand rejected under 35 U.S.C. § 102(b) as being anticipated by Chang et al.

(U.S. Patent No. 6,387,566; hereinafter, "Chang").

To anticipate a claim under 35 U.S.C. § 102, a single source must contain all of the

elements of the claim. Lewmar Marine Inc. v. Barient, Inc., 827 F.2d 744, 747, 3 U.S.P.Q.2d

1766, 1768 (Fed. Cir. 1987), cert. denied, 484 U.S. 1007 (1988). "[a] claim is anticipated only if

each and every element as set forth in the claim is found, either expressly or inherently

described, in a single prior art reference." Verdegaal Bros. V. Union Oil Co. of California, 814

F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987). Moreover, "[t]he identical invention

must be shown in as complete detail as is contained in the ...claim." Richardson v. Suzuki Motor

Co., 868 F.2d 1226, 1236, 9 USPQ2d 1913, 1920 (Fed. Cir. 1989).

Claims 1, 8-10 and 15 are independent claims. Claims 1-7 are directly or indirectly

dependent from Claim 1. Claims 11-14 are directly dependent from Claim 10.

Claim 1 includes, *inter alia*, the following limitation:

the aluminum layer of the battery package being electrically connected with

the positive or negative terminal,

Claims 8 and 9 include, *inter alia*, the following limitation:

form an electrical connection between the aluminum layer and the positive or

negative electrode terminal


LEE-0046 FPC04022-PCT/US Page 6 of 9.

Claims 10 and 15 include, *inter alia*, the following limitation:

at least one electrically conductive metal foil is electrically connected with either of positive and negative terminals

As above, the claimed invention is configured such that an aluminum layer or at least one electrically conductive metal foil is electrically connected with a positive or negative terminal. Thus, short circuit current can be dispersed toward the aluminum layer (or the at least one electrically conductive metal foil) inside the battery package when a local short circuit occurs between the positive and negative electrodes due to nail penetration, pressing, impact, exposure to high temperature and so forth (see line 20 on page 10 through lines 4 on page 11 of this application).

Chang discloses a polymer lithium ion battery with an aluminum foil coated with a polymer. As shown in Figs. 4A and 4B thereof, Chang discloses an ion battery, which includes case bodies 31a and 31b, negative sheets 33 and positive sheets 32, and connectors 36a and 36b. Fig. 4B shows an enlarged view of the connectors 36a and 36b. As shown in Fig. 4B, a polymer insulating layer 42, 43, 45 and 46 covers an aluminum layer 41 and 44. Further, exposed portions 37 and 38 of the aluminum layer 41 and 44 serve battery terminals (see lines 50-51 on column 2 of Chang). Furthermore, as clearly illustrated in Fig. 4B and lines 54-57 on column 2 of Chang, the aluminum layers 41 and 44 are electrically connected to the positive and negative electrode sheets 32 and 33 via the connectors 36a and 36b, **not** insulated from a negative or positive electrode.




LEE-0046 FPC04022-PCT/US LGC-R-02-0196-US

Page 7 of 9.

However, in the claimed invention, the aluminum layer 5 is electrically connected to a positive terminal 1 **or** a negative terminal 2, as shown in Fig. 5 of this application. In contrast, in Chang, the aluminum layer 37 and 38 <u>itself</u> serves battery terminals, **not** electrically connected to a positive or negative terminal. Further, the aluminum layer 37 and 38 is connected to the positive and negative sheets of the battery through connectors 36a and 36b, **not** electrically insulated from a negative or positive electrode.

Fig. 4 of the present application



Further, the claimed invention includes an inner adhesive layer. However, Chang does not disclose any inner adhesive layer.

Thus, Applicants submit that Chang fails to disclose the claimed aluminum layer or at least one electrically conductive metal foil being electrically connected with a positive or negative terminal, and the claimed adhesive layer.

It is therefore respectfully submitted that Change does not anticipate the claimed invention since it fails to disclose *all the elements and limitations* as set forth in Claims 1, 8-10 and 15.

Claims 1-7 and Claims 11-14 are also believed not anticipated by Chang, by virtue of their direct or indirect dependency from Claims 1 and 10 respectively.

Applicants respectfully request the Examiner to review the above submissions and withdraw the rejection of Claims 1-15 under 35 U.S.C. § 102(b).

Application No. 10/563,537

Response dated: January 19, 2010

Reply to Final Office Action of August 19, 2009 and Advisory Action of December 22, 2009

**Conclusion** 

In view of the foregoing, it is respectfully submitted that the instant application is in

condition for allowance. Reconsideration and subsequent allowance of this application are

courteously requested.

If there are any charges due with respect to this Amendment or otherwise, please charge

them to Deposit Account No. 06-1130 maintained by Applicants' attorneys.

The Examiner is invited to contact Applicants' Attorneys at the below-listed telephone

number with any questions or comments regarding this Response or otherwise concerning the

present application.

Respectfully submitted,

CANTOR COLBURN, LLP

By: /Jaegyoo Jang/

Jaegyoo Jang

Limited Recognition No.: L0469

Date: January 19, 2010

Cantor Colburn LLP

1800 Diagonal Road

Suite 510

Alexandria, VA 22314

Telephone: (703) 236-4500

Facsimile: (703) 236-4501

LEE-0046 FPC04022-PCT/US LGC-R-02-0196-US Page 9 of 9.